



DTK-8FF

8-Outlet Plug-In Surge Protection General Product Specifications

DITEK's DTK-8FF eight outlet SPD (Surge Protective Device) protects AC power and telco/modem/fax lines. Hybrid circuitry provides excellent point of use protection. Up to six transformers can be used at the same time. EMI/RFI filtering provides extra protection for sensitive electronics.



DTK-8FF

Product Features

- 8AC outlets protected, up to six transformers
- Diagnostic LED indicates ground presence and suppressor function
- Automatic shutdown feature turns off power in case of suppressor overload
- 1 in / 2 out RJ11 Telco protection included
- Mounting slots allow installation on wall or backboard
- Ten year limited warranty

Specifications

Agency Approvals:	UL1449, 2 nd Edition Feb. 2007 (AC) UL497A (Telco)
Service Voltage:	110-120VAC
MCOV:	125VAC
MCOV – Telco:	180VAC
Connection:	Direct plug-in (AC); RJ11 (Telco)
Continuous Current:	15 Amps
Max Surge Current:	40,000 Amps (AC) 2,400 Amps (Telco)
Protection Modes:	L-G, L-N, N-G (AC) Tip-G, Tip-Ring, Ring-G (Telco)
U.L. 1449 SVR:	330V
Dimensions:	10.5" x 3.9" x 1.4" (267mm x 99mm x 36mm)
Weight:	1.3lb (590g)
Housing:	ABS

